**KCA Laboratories** 232 North Plaza Drive Nicholasville, KY 40356

kca

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

1 of 1

Status

Tested

Yes

Internal Standard Normalization

Result

(mg/unit)

ND

0.173

ND

<LOO

203

<LOO

7.88

ND

ND

ND

<LOO

12.3

7.88

223

2500mg DELTA 8 SPACE RINGS- Rainbow Fizz Client Sample ID: SA-230627-23426 Hi On Nature Batch: 6/19/23 Received: 06/21/2023 Type: Finished Product - Ingestible 9909 Harwin Dr. Completed: 06/26/2023 Matrix: Edible - Candy Houston, TX 77036 Unit Mass (g): 8.89698 USA Summary **Date Tested** Test 06/26/2023 Cannabinoids 0.0886 % Not Tested Not Tested 2.28 % 2.51 % Total Cannabinoids Total ∆9-THC **∆8-THC Moisture Content** Foreign Matter Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS LOD LOO Result Analyte (%) (%) (%) CBC 0.00284 0 00095 ND CBCA 0.00181 0.00543 ND CBCV 0.0006 0.0018 ND CBD 0.00081 0.00242 ND CBDA 0.00043 0.0013 ND CBDV 0.00061 0.00182 ND CBDVA 0.00063 ND CBG 0.00057 0.00172 ND CBGA 0.00049 0.00147 ND CBL 0.00112 0.00335 ND CBLA 0.00124 0.00371 ND CBN 0.00056 0.00169 0.00195 CBNA 0.0006 0.00181 ND 0.0054 0.0018 <LOO 0.00104 0.00312 ∆8-THC 2.28 ∆8-THCV 0.0067 0.02 <LOQ ∆9-THC 0.00076 0.00227 0.0886 Δ9-THCA 0.00084 0.00251 ND ∆9-THCV 0.00069 0.00206 ND ∆9-THCVA 0.00062 0.00186 ND <LOQ ∆8-iso-THC 0.0067 0.0067 ∆4,8-iso-THC 0.138 Total ∆9-THC 0.0886 Total 2.51

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit;  $\Delta$  = Delta; Total  $\Delta$ 9-THC =  $\Delta$ 9-THCA \* 0.877 +  $\Delta$ 9-THC; Total CBD = CBDA \* 0.877 + CBD;

CBT

Generated By: Ryan Bellone CCO Date: 06/27/2023

Tested By: Scott Caudill Senior Scientist Date: 06/26/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.